

HOSE, TOOLS AND ACCESSORIES



VACUUM HOSE

Series 2000

(Standard for most applications)



- Swivel Cuffs
- Crush proof
- Static dissipating
- 4-1/2" Bend radius

₽YouTube

Click here for video of this product

Part Number 15-HO-2010 15-HO-2025 15-HO-2050	Diameter 1-1/2" 1-1/2" 1-1/2"	Length 15' 25' 50'
20-HO-2015	2"	15'
20-HO-2025	2"	25'
20-HO-2050	2"	50'

Series 3000

(Abrasion Resistant)



- High Abrasion Resistant
- Good Flexibility
- Static dissipating
- 6" Bend radius
- Raw ends (slide over tools)

Part Number 15-HO-3025 15-HO-3050	Diameter 1-1/2" 1-1/2"	Length 25' 50'
20-HO-3025	2"	25'
20-HO-3050	2"	50'
25-HO-3025	2-1/2"	25'
25-HO-3050	2-1/2"	50'
30-HO-3025	3"	25'
30-HO-3050	3"	50'
40-HO-3025	4"	25'
40-HO-3050	4"	50'

Series 4000



- Swivel Cuffs
- Copper strand wire
- Static dissipating
- FDA construction

Part Number 15-HO-4025 15-HO-4050	Diameter 1-1/2" 1-1/2"	Length 25' 50'
20-HO-4025	2"	25'
20-HO-4050	2"	50'

Hose Connector

 Part Number
 Dia
 Material

 15-CH-AC-2017
 1-1/2" Chrome

 20-CH-AC-2017
 2" Chrome

 15-AL-AC-2027
 1-1/2" Aluminum

 20-AL-AC-2027
 2" Aluminum



Inlet Valve Adapter

 Part Number
 Diameter

 HA-150
 1-1/2"

 HA-200
 2"



1-1/2" STANDARD TOOLS



Floor Rods



Floor 1



15-AL-FT-4420 Aluminum 17" Wide



15-SS-FT-4430 Stainless Steel 17" Wide

Crevice Tools



1-1/2" x 24" Long Crevice Tool Anodized Aluminum Part Number **15-AL-HT-2032**



1-1/2" x 15" Long Crevice Tool Chrome Part Number **15-CH-HT-2010**



1-1/2" x 24" Long Crevice Tool Chrome Part Number **15-CH-HT-2036**

Hand Tools





2" STANDARD TOOLS

Wide General Surfaces



* Squeegee & Nylon brush (Interchangeable)

Part Number 20-AL-FT4560




2" x 24" Long Crevice Tool * Chrome Steel Part Number 20CS-HT-2110



* Adjustable Wheels

Part Number 20-AL-HT2510





2" x 3" Round hand tool

- * Cast Aluminum body
- * Nvlon bristles

Part Number 20-AL-HT2500



2" x 6" Wide hand tool

- Cast Aluminum body
- * Nylon bristles

Part Number 20-AL-HT2520

Bulk Tool

Recommend for cleaning areas with some bulk sills or bigger product sizes that would be pushed by the brush tool.

> **Extension Rod** Part Number 20-AL-FT4600



2" x 12"Wide Floor Tool

- * Notched front
- * Cast aluminum threaded connection

Part Number 20-AL-FT4610



2" x 5" Wide hand tool

- * Polyethylene Conductive Copolymers
- * Serrated Face
- * Liaht weiaht

Part Number 20-SC-HT3000



2" x 4" Round hand tool

- * Polyethylene Conductive Copolymers
- * Brush with brass & Nylon bristles

Part Number 20-SC-HT3040

CONDUCTIVE RUBBER




Tools are made of a heavy duty but light weight polyethylene conductive copolymer.

- · Static Dissipating
- Surface Resistivity level: 103 105 Ohms/Square
- Temperature range -40°F to 140°F.
- 5" wide open face with serrated edge to ensure airflow at all times.
- Zinc galvanized 1-1/2" or 2" O.D. for hose connection.



1-1/2" P/N 15-SC-HT3000 2" P/N 20-SC-HT3000







1-1/2" P/N 15-SC-HT-3030 2" P/N 20 SC-HT-3030



1-1/2" P/N 15 SC-HT-3040 2" P/N 20 SC-HT-3040



1-1/2" P/N 15 SC-HT-3010 2" P/N 20 SC-HT-3010

HOSE RACKS & STORAGE

Deluxe Hose & Tool Rack System

"The Arno Rack"



- Multiple configurations available.
- Store hose and tools in one location
- Storage for crevice tools and hand brush as well as the floor rod.
- Designed to hold one floor rod, or two if the system uses a bulk tool and wide floor tool.



Basic Hose Rack





- 11" L x 6-1/2" H x 5" W
- · Keyhole slots for easy installation.
- Constructed of 12 gauge 304 stainless steel

Part Number SS-AC5090

Storage Cabinet

"The Dirt Locker"

- · Storage Locker with Hose Rack
- · Store hose and tools in one enclosed cabinet
- Tool support for carbon fiber poles
- Internal light







Click here for video of this product



Legends Equipment LLC

1001 2nd Ave, Dayton KY 41074 (513) 337-9745 www.LegendsEquipment.com