



TUBE SHARK


By Legends Equipment

The TubeShark™ fitting allows for a top-in tie in for drops on a central vacuum systems.



The TubeShark™ brings material in from the top of the headers and eliminates a dead leg when a drop is not being used.

The configuration allows the drop leg to be tucked into an I-beam or near the wall.


Zinc Galvanized, so Stainless Steel

 **YouTube** See a video of this product on our YouTube channel.





Part Number	Size (A)	Branch (B)	C	D	E	F	G
94371	2-1/8"	2-1/8"	7-1/4"	6"	6"	3-7/8"	21-3/4"
94372	2-1/2"	2-1/8"	7-7/16"	6"	6"	3-11/16"	21-3/4"
94373	3"	2-1/8"	7-11/16"	6"	6"	3-7/16"	21-3/4"
94374	3-1/2"	2-1/8"	7-15/16"	6"	6"	3-3/16"	21-3/4"
94375	4"	2-1/8"	8-3/16"	6"	6"	2-15/16"	21-3/4"
94312	2-1/2"	2-1/2"	6-3/4"	6"	6"	3-1/2"	21-3/4"
94313	3"	2-1/2"	7"	6"	6"	3-1/4"	21-3/4"
94314	3-1/2"	2-1/2"	7-1/4"	6"	6"	3"	21-3/4"
94315	4"	2-1/2"	7-1/2"	6"	6"	2-3/4"	21-3/4"





Legends Equipment
1001 2nd Ave Dayton, KY

